


Product Information Sheet

VERTICAL RACK BUSBAR

Vertical Rack Busbars provide a vertical grounding continuity path between equipment along the rack or cabinet face. Constructed of 1/4"W x 5/8"H Hard-Drawn Electrolytic Tough Pitch 110 Alloy copper bar with pairs of #1/4-20 tapped mounting holes on 5/8" centers. The 36"-length bar has one set of #5/16 self-clinching studs on 1" centers at one end for attachment of a ground conductor. The 72"-length bar has two sets of #5/16 self-clinching studs on 1" centers at both ends for attachment of a ground conductor.

- Each package contains one Vertical Rack Busbar
- Vertical Rack Busbars with insulators and lug kits are also available
- Other configurations are available on request
- UL Listed



40160-072 Shown

40160-036 Shown



Part Number	Description	# of Lugs	Shipping Weight
40160-036	1/4"W x 5/8"H x 36"L Vertical Rack Busbar	8	4 lb
40160-072	1/4"W x 5/8"H x 72"L Vertical Rack Busbar	13	5 lb

800-834-4969 in U.S. & Canada • www.chatsworth.com



CHATSWORTH PRODUCTS, INC.

©2003 Chatsworth Products, Inc. All rights reserved. CPI is a registered trademark of Chatsworth Products, Inc. All other trademarks belong to their respective companies. 06/03