




TILE BRIDGE



TILE BRIDGE/TRIM ASSEMBLY



- NOTES:**
- Weight: 6 lbs.
 - Material: 20 Ga. Galvanized Steel Flange
20 Ga. White Powder Coated Steel Trim
(All SKUs Except -FX)
Polycarbonate Plastic Trim (For -FXL SKU Only)

- Includes:**
- (1) Backbox
 - (1) Trim, Specific to Access Point
 - (1) Speed Link Support Wire
 - Access Point Attachment Hardware
 - (1) T-Bar Bracket (For -FXL and -ANTMNT SKUs Only)
 - (1) Cisco Mounting Bracket (For -FXL SKUs Only)

UL Listed - File Number E348543
HCAI OPM-0110

NOTE: All materials used in the construction of Oberon products must be RoHS compliant and meet RoHS2 Directive 2011/65/EU. Contact Oberon engineering if RoHS compliant materials are not available.

DRAWN RLC	9/19/2025	Oberon, Inc. - 1315 S. Allen St. - State College, PA 16801		
CHECKED RLC	9/19/2025	TITLE		
QA		Model 1440-XX Series Mounts		
MFG RLC	9/19/2025	DWG NO		
APPROVED RLC	9/19/2025	SPEC-OB1440		
TOLERANCE:		SIZE C	REV 1	
		SCALE	SHEET 1 OF 5	

ANTMNT TRIM

The technical drawing illustrates the design of the Model 1440-XX Series Mounts. It includes three main views: a front view, a side view, and a detailed cross-section labeled 'DETAIL B'. The front view shows a square mounting plate with rounded corners, featuring four mounting tabs and a central circular area with eight slots. Dimensions include a width of 16.94 [430.2] and a height of 16.94 [430.2]. The side view shows the profile of the mount, highlighting its thickness and the internal structure. Detail B provides a close-up of the central circular area, showing the eight slots and their dimensions: 3.28 [83.3] between slots, 1.81 [46.0] from the center to the slot edge, and 1.25 [31.8] (Typ.) for the slot width. A radius of R.55 [R13.9] is also indicated.


NOTES:

- Weight: 3 lbs.
- Material: 20 Ga. White Powder Coated Steel Trim

INCLUDES:

- Mounting Pattern to Accommodate Most Antennas
- Torsion Springs




DRAWN RLC	9/19/2025	Oberon, Inc. - 1315 S. Allen St. - State College, PA 16801		
CHECKED RLC	9/19/2025	TITLE		
QA				
MFG RLC	9/19/2025	Model 1440-XX Series Mounts		
APPROVED RLC	9/19/2025			
TOLERANCE:	.0 = +/- .030 .00 = +/- .015 .000 = +/- .005	SIZE C	DWG NO SPEC-OB1440	REV 1
		SCALE	SHEET 2 OF 5	



- INCLUDES:**
- Mounting Pattern to Accommodate Most Antennas
 - Torsion Springs

DRAWN RLC	9/19/2025	Oberon, Inc. - 1315 S. Allen St. - State College, PA 16801		
CHECKED RLC	9/19/2025	TITLE Model 1440-XX Series Mounts		
QA				
MFG RLC	9/19/2025	SIZE C DWG NO SPEC-OB1440 REV 1		
APPROVED RLC	9/19/2025			
TOLERANCE:	.0 = +/- .030 .00 = +/- .015 .000 = +/- .005			
		SCALE		SHEET 2 OF 5

AP FACED TRIMS






- NOTES:**
- Weight: 3 lbs.
 - Material: 20 Ga. White Powder Coated Steel Trim

- INCLUDES:**
- AP Specific Bracket
 - Torsion Springs

DRAWN RLC	9/19/2025	Oberon, Inc. - 1315 S. Allen St. - State College, PA 16801		
CHECKED RLC	9/19/2025	TITLE		
QA		Model 1440-XX Series Mounts		
MFG RLC	9/19/2025	DWG NO		
APPROVED RLC	9/19/2025	SPEC-OB1440		
TOLERANCE:		SIZE C	SCALE	REV 1
		.0 = +/- .030		
		.00 = +/- .015		
		.000 = +/- .005		
		SHEET 3 OF 5		

FXL TRIM



ISOMETRIC VIEW

- NOTES:**
- Weight: 3 lbs.
 - Material: UL 94-5VA Polycarbonate Plastic Trim

- INCLUDES:**
- T-Bar Bracket
 - Cisco Mounting Bracket
 - Torsion Springs

DRAWN RLC	9/19/2025	Oberon, Inc. - 1315 S. Allen St. - State College, PA 16801		
CHECKED RLC	9/19/2025	TITLE		
QA		Model 1440-XX Series Mounts		
MFG RLC	9/19/2025	DWG NO		
APPROVED RLC	9/19/2025	SPEC-OB1440		
TOLERANCE:		SIZE C	SCALE	REV 1
		.0 = +/- .030		
		.00 = +/- .015		
		.000 = +/- .005		
		SHEET 4 OF 5		

CONFIGURATION TABLE

TABLE		
MODEL NUMBER	TRIM PART NUMBER	ACCESS POINT
1440-ANTMNT	37-144X-ANTMNT	For Antennas
1440-ARAP515	37-144X-ARAP515	Aruba AP515
1440-ARAP535	37-144X-ARAP535	Aruba AP535
1440-ARAP555	37-144X-ARAP555	Aruba AP555
1440-ARAP635	37-144X-ARAP635	Aruba AP635
1440-ARAP655	37-144X-ARAP655	Aruba AP655
1440-ARAP735	37-144X-ARAP635	Aruba AP735
1440-ARAP755	37-144X-ARAP655	Aruba AP755
1440-ARSTC360	37-144X-ARSTC360	Aruba C360
1440-COAP9120	37-144X-COAP9120	Cisco 9120 Series AP
1440-COAP9130	37-144X-COAP9130	Cisco 9130 Series AP
1440-COAP9136	37-144X-COAP9136	Cisco 9136 Seriea AP
1440-CW9166	37-144X-CW9166	Cisco 9164, 9166 Series AP
1440-CW9172	37-144X-CW9172	Cisco 9172
1440-CW9176	37-144X-CW9176	Cisco 9176
1440-CW9178	37-144X-CW9178	Cisco 9178
1440-FXL	37-144X-FXL	General Purpose for APs w/ Internal Antennas
1440-JNAP43	37-144X-JNAP43	Juniper AP43
1440-JNAP45	37-144X-JNAP45	Juniper AP45
1440-JNAP47	37-144X-JNAP47	Juniper AP47
1440-NT	NT	N/A (No Trim Included)

DRAWN RLC	9/19/2025	Oberon, Inc. - 1315 S. Allen St. - State College, PA 16801		
CHECKED RLC	9/19/2025			
QA		TITLE		
MFG RLC	9/19/2025	Model 1440-XX Series Mounts		
APPROVED RLC	9/19/2025	SIZE C	DWG NO SPEC-OB1440	REV 1
TOLERANCE: .0 = +/- .030 .00 = +/- .015 .000 = +/- .005		SCALE	SHEET 5 OF 5	